


PRODUCT Catalog 2022



I. THERMAL SOLUTIONS

Cpu Cooler 01 - 07

- Gamer Cpu Cooler
- Silent Cpu Cooler

SSD Cooler 08 - 09

Case Fan 10 - 22

- Gamer Case Fan
- Silent Case Fan
- Mining Fan

Thermal Compound 23

- GC-Pro Thermal Compound
- GC-Extreme Thermal Compound

Thermal Pad 24 - 26

- GP-Extreme 80 * 40
- GP-Extreme 120 * 20
- GP-Extreme 120 * 120
- GP-Ultimate 90 * 50
- GP-Ultimate 120 * 20
- GP-Ultimate 120 * 120

Nova Gaming Mousepad 27

Cable 28 - 35

RGB Collection 36 - 41


Accessories 42 - 46

II. GAMING PC CASES 47

- Battle Station x
- Black Diamond

III. HOME OFFICE 48 - 52

- Apex Vertical Mouse
- Onair Streaming Kit
- Voce USB Condensor Microphone
- Lux Tricolor Led Ringlight
- Flexmount Duo Monitor Arm
- Zentree Charging Station
- Fourza Charging Station



Thermal Solutions – CPU Coolers – Gamer CPU Cooler

Glacier

Product SKU: CC-GLACIER-01-A

Product Specs

- Air Flow (CFM): 70 max.
- Bearing: Double Ball Bearing
- Fan Speed (RPM): 500 – 1600
- Fan Dimension (mm): 120 x 120 x 25
- Max Noise Level (dBA): 35
- Heatsink Dimensions (mm): 132 x 120 x 152
- Warranty (years): 5

Key Product Features

- 6 Power Heatpipes
- Advanced Twin-Tower Heatsink
- 2 Smart ARGB PWM Fans
- Triple Fan Option
- Enhanced Mounting Kit
- TDP 220W Support



Glacier Black

Product SKU: CC-GLACIER-02-A

Product Specs

- Air Flow (CFM): 70 max.
- Bearing: Double Ball Bearing
- Fan Dimensions (mm): 120 (l) x 120 (w) x 25 (h)
- Fan Connector: 4-Pin PWM
- Fan Current (A): max. 0.19
- Fan Speed (RPM): 500 – 1600
- Warranty (years): 5

Key Product Features

- 6 Power Heatpipes
- Advanced Twin-Tower Heatsink
- High-Class Black Electrophoretic Coating
- 2 Smart ARGB PWM Fans
- Triple Fan Option
- Enhanced Mounting Kit
- TDP 220W Support

Thermal Solutions – CPU Coolers – Gamer CPU Cooler

Phantom

Product SKU: CC-PHANTOM-01-A

Product Specs

- Air Flow (CFM / CMH): 65.6
- Bearing: Hydro Dynamic Bearing
- Fan Dimension (mm): 120 x 120 x 25
- Heat Sink Dimensions (mm): 118 x 126 x 160
- Max Noise Level (dBA): 26.7
- Fan Speed (RPM): 750 – 1600
- Warranty (years): 5

Key Product Features

- 7 Mixed Size Ni-Plated Heatpipes
- Advanced Twin-Tower Heatsink
- 2 Smart PWM Fans
- Triple Fan Option
- Enhanced Mounting Kit
- TDP 200W Support
- 5 Years Limited Warranty



Phantom Black

Product SKU: CC-PHANTOM-BLACK-01-A

Product Specs

- Air Flow (CFM / CMH): 65.5 / 111.35 max.
- Bearing: Hydro Dynamic Bearing
- Fan Speed (RPM): 750 – 1600
- Cable Length (mm): 500
- Current (A): 0.25 max
- Fan Dimensions (mm): 120 (l) x 120 (w) x 25 (h)
- Warranty (years): 5

Key Product Features

- 7 Mixed Size Ni-Plated Heatpipes
- Advanced Twin-Tower Heatsink
- 2 Smart PWM Fans
- Triple Fan Option
- Enhanced Mounting Kit
- TDP 200W Support
- High-Class Black Nickel Plating
- 5 Years Limited Warranty

Thermal Solutions – CPU Coolers – Gamer CPU Cooler

Rev. 5 Tranquillo

Product SKU: CC-TRANQ-05-A

Product Specs

- Air Flow (CFM): 65.5
- Bearing: Hydro Dynamic Bearing
- Heat Sink Dimensions (mm): 72 x 120 x 154
- Max Noise Level (dBA): 26.5
- Fan Dimension (mm): 120 x 120 x 25
- Fan Speed (RPM): 900 – 2000
- Warranty (years): 5

Key Product Features

- 4 Power Heatpipes
- Advanced Heatsink
- 120mm Smart PWM Fan
- Enhanced Mounting Kit
- High-Class Black Electrophoretic Coating



Sirocco

Product SKU: CC-SIROCCO-01-A

Product Specs

- Air Flow (CFM): 77.2 max.
- Bearing: Double Ball Bearing
- Fan Speed (RPM): 750 – 2000
- Fan Dimensions (mm): 120 (l) x 120 (w) x 25 (h)
- Heat Sink & Fan Dimensions (mm): 118 (l) x 126 (w) x 160 (h)
- Max Noise Level (dBA): 40.4
- Warranty (years): 5

Key Product Features

- Advanced Copper-Based Heatsink
- 6 U-Stacked Power Heat Pipes
- Soldered Heatpipes & Fins
- Shark-Tooth Edge Fins
- Smart High Pressure RGB LED Fan
- Enhanced Mounting Kit
- High-Class Nickel Plating
- TDP 200W Support
- 5 Years Limited Warranty

Thermal Solutions – CPU Coolers – Gamer CPU Cooler

Blackfrose

Product SKU: CC-BLACKFRORE-01-A

Product Specs

- Air Flow (CFM): 37.9 max.
- Bearing: Hydro Dynamic Bearing
- Noise Level (dBA): 20
- Heatsink Dimensions (mm): 98 x 96 x 121
- Fan Dimensions (mm): 125 (l) x 125 (w) x 25 (h)
- Fan Speed (RPM): 900 – 2000
- Warranty (years): 3

Key Product Features

- 2 Power Heatpipes
- Advanced Heatsink
- 92mm Smart PWM Fan
- Enhanced Mounting Kit
- High-Class Black Electrophoretic Coating



Thermal Solutions – CPU Coolers – Gamer CPU Cooler

					
Name	Rev. 5 Tranquillo	Sirocco	Phantom	Glacier	Blackfroe
SKU	CC-TRANQ-05-A	CC-SIROCCO-01-A	CC-PHANTOM-01-A	CC-GLACIER-01-A	CC-BLACKFROE-01-A
Price (MSRP)	\$35 USD	\$44 USD	\$40 USD	\$49 USD	\$20USD
Air Flow (CFM)	65.5	77.2	65.6	70	37.9
Bearing	Hydro Dynamic Bearing	Double Ball Bearing	Hydro Dynamic Bearing	Double Ball Bearing	Hydro Dynamic Bearing
Fan Speed (RPM)	900 – 2000	750 – 2000	750 – 1600	500– 1600	900– 2000
Fans Dimensions (mm)	120 x 120 x 25	120 x 120 x 25	120 x 120 x 25	120 x 120 x 25	120 x 120 x 25
Heatsink Dimensions (mm)	72 x 120 x 154	118 x 126 x 160	118 x 126 x 160	132 x 120 x 152	98 x 96 x 121
Heat Pipes	4	6	7	6	2
LED	N/A	4 Pin RGB	N/A	3-Pin 5V ARGB	N/A
Noise Level (dBA)	26.5	40.4	26.7	35	20
Tower	1	1	2	2	1
TDP (Watts)	150	200	200	220	65
Weight (g)	491	720	1020	920	268

Thermal Solutions – CPU Coolers – Silent CPU Cooler

Polar 2

Product SKU: CC-POLAR-03

Product Specs

- Air Flow (CFM / CMH): 29.6
- Bearing: Ball Bearing
- Cable Length (mm): 200
- Current (A): 0.20
- Fan Dimensions (mm): 75 x 75 x 15
- Fan Speed (RPM): 1400 - 2800
- Warranty (years): 5

Key Product Features

- Silent PWM fan with ball bearing
- High Airflow
- 42mm low profile cooler



Slimhero

Product SKU: CC-SHERO-01-B

Product Specs

- Air Flow (CFM / CMH): 52.4 / 89.1
- Bearing: Hydro Dynamic Bearing
- Fan Speed (+/-10%) (RPM): 750 – 1600
- Heatsink Dimensions (mm): 131 (l) x 123 (w) x 59 (h)
- Current (A): 0.2
- Dimensions (mm): 120 (l) x 120 (w) x 15.8 (h)
- Warranty (years): 5

Key Product Features

- 4 Power Heatpipes
- Unique Heatsink Design
- 4 Mounting Directions on AMD™ Socket
- 59mm Height
- Intelligent PWM Fan Control Curve



Thermal Solutions – CPU Coolers – Silent CPU Cooler

Slim Silence Am4 Cpu Cooler

Product SKU: CC-SSILENCE-AM4

Product Specs

- Air Flow (CFM / CMH): max. 20
- Bearing: Ball Bearing
- Cable Length (mm): 250
- Current (A): 0.2
- Fan Dimensions (mm): 65 (dia) x 15 (h)
- Fan Speed (RPM): 1200 – 2600
- Warranty (years): 5

Key Product Features

- 1U Cooler Height (28mm)
- Double High-Performance Heatpipe
- Silent PWM Fan with Ball Bearing
- High Airflow



Slim Silence I-plus

Product SKU: CC-SSILENCE-IPLUS

Product Specs

- Air Flow (CFM/CMH): 25.8
- Bearing: Ball Bearing
- Fan Speed (+/- 10%) (RPM): 1200 – 2600
- Current (A): 0.2
- Cable Length (mm): 250
- Fan Dimensions (mm): 75 (dia) x 15 (h)
- Warranty (years): 5

Key Product Features

- 1U Cooler Height (28mm)
- High Performance Heatpipe
- Premium Copper Plate
- Silent PWM Fan with Ball Bearing
- High Airflow

Thermal Solutions – SSD Cooler

GLINT ARGB M.2 2280 SSD Cooler

Product SKU: M2-RGB-01

Product Specs

- ARGB Connector: 3-Pin 5V Addressable RGB
- Heatsink Dimensions (mm): 73 x 24 x 15
- ARGB Input (V): 5
- Thermal Pad Thickness (mm): 0.5 & 1.0
- Heatsink Material: Aluminum
- Compatibility: M.2 2280
- Warranty (years): 2

Key Product Features

- Excellent Heat Dissipation
- Lightweight & Slim Design
- Integrated ARGB Module
- ARGB Sync
- Quick & Easy Mounting
- Fits all M.2 Type 2280 SSD (Desktop Applications Only)



Ice Cap M.2 Ssd Cooling Kit

Product SKU: HS-M2-SSD-21

Product Specs

- Heatsink Material: Aluminum
- Thermal Pad Thickness (mm): 0.5
- Thermal Pad Conductivity (W/mK): 12
- Weight (g): 28
- Warranty (years): 2
- Compatibility: M.2 2280
- Includes: 1 x Heatsink, 1 x Bottom Mounting, 2 x GP-Extreme Thermal Pad

Key Product Features

- Excellent Heat Dissipation
- Lightweight & Slim Design
- Quick & Secure Mounting
- GP-Extreme Thermal Pad Included
- Fits all M.2 Type 2280 SSD
- Fits PS5 SSD Upgrade & Storage Expansion

Thermal Solutions – SSD Cooler

Subzero M.2 Ssd Cooling Kit


Product SKU: HS-M2-SSD

Product Specs

- Heatsink Dimensions (mm): 70 x 20 x 3
- Heatsink Material: Aluminum
- Thermal Pad Thickness (mm): 0.5 & 1
- Thermal Pad Conductivity (W/mK): 12
- Thermal Pad Hardness (Shore): 35
- Weight (g): 40
- Compatibility: M.2 2280

Key Product Features

- High Performance Cooling
- Lightweight Design
- High Reliability Silicone Fixtures
- Quick & Easy Mounting
- Fits all M.2 2280 SSD



Thermal Solutions – Case Fan – Gamer Case Fan

Lyra Argb Fan

Product SKU: FN-LYRA-01

Product Specs

- Air Flow (CFM): 70 max.
- Bearing: Double Ball Bearing
- Fan Speed (RPM): 750 – 1600
- Cable Length (mm): 500 (PWM & RGB)
- Fan Connector: 4-Pin PWM Header
- Dimensions (mm): 140 (l) x 140 (w) x 25 (h)
- Warranty (years): 3

Key Product Features

- 24 ARGB LEDs
- Dual Ring Lighting
- Addressable RGB Controls
- Airflow Optimized Impeller
- Noiseless Motor Drive IC
- Ultra-Durable Double Ball Bearing
- Daisy-Chain ARGB Cable



Slim 12 PI Blue

Product SKU: FN-FW12SLIMBPL-16

Product Specs

- Air Flow (CFM/CMH): 25 / 42.5 - 52.4/ 89.1
- Bearing: Hydro Dynamic Bearing
- Cable Length (mm): 500
- Dimension of Fan (mm): 120 x 120 x 15.8
- Fan Speed (RPM): 900 – 1500
- Connector: 4 Pin
- Warranty (years): 3

Key Product Features

- Hydro Dynamic Bearing
- PWM Control
- 4 pcs Blue LED Lights
- Silent Operation
- High Airflow
- 3 Years Warranty

Thermal Solutions – Case Fan – Gamer Case Fan

Slim 12 Uv Blue


Product SKU: FN-FW12SLIMB-15

Product Specs

- Air Flow (CFM/CMH): 48.3 / 82.11
- Bearing: Hydro Dynamic Bearing
- Fan Speed (RPM): 1500
- Cable Length (mm): 500
- Connector: 3 Pin Molex
- Dimension of Fan (mm): 120 x 120 x 15.8
- Warranty (years): 5

Key Product Features

- 120 x 120 x 15.8mm Slim Fan
- Hydro Dynamic Bearing
- UV Reactive
- High Airflow
- Silent Operation



Stella Argb Fan

Product SKU: FN-STELLA-01

Product Specs

- Air Flow (CFM): 70 max.
- Bearing: Double Ball Bearing
- Cable Length (mm): 500 (PWM & RGB)
- Dimensions (mm): 120 (l) x 120 (w) x 25 (h)
- Fan Speed (RPM): 500 – 1600
- Fan Connector: 4-Pin PWM Header
- Warranty (years): 3

Key Product Features

- 24 ARGB LEDs
- Dual Ring Lighting
- Addressable RGB Controls
- Airflow Optimized Impeller
- Noiseless Motor Drive IC
- Ultra-Durable Double Ball Bearing

Thermal Solutions – Case Fan – Gamer Case Fan

Stella Daisy Chain


Product SKU: FN-STELLA-D-02

Product Specs

- Air Flow (CFM): 70 max.
- Bearing: Double Ball
- Fan Connector: 4-Pin PWM
- Fan Current (A): max 0.19
- Dimensions (mm): 120 (l) x 120 (w) x 25 (h)
- Fan Speed (RPM): 500 – 1600
- Warranty (years): 3

Key Product Features

- Individually Addressable RGB Daisy-Chain
- Icy Frame Assembly & All-White Color
- 24 ARGB LEDs
- Dual Ring Lighting
- Airflow Optimized Impeller
- Noiseless Motor Drive IC
- Ultra-Durable Double Ball Bearing



Stella Infinity

Product SKU: FN-STELLA-03

Product Specs

- Air Flow (CFM): max. 70
- Bearing: Hydro Dynamic
- Fan Connector: 4 Pin PWM
- Dimensions (mm): 120 x 120 x 25
- Fan Speed (RPM): 500 – 1600
- Fan Current (A): max. 0.19
- Warranty (years): 3

Key Product Features

- 24 ARGB LEDs
- Dual Ring Lighting
- Addressable RGB Controls
- Airflow Optimized Impeller
- Noiseless Motor Drive IC
- Hydro Dynamic Ball Bearing
- Infinite Mirror

Thermal Solutions – Case Fan – Gamer Case Fan

Stella Frost

Product SKU: FN-STELLA-02

Product Specs

- Air Flow (CFM): 70 max.
- Bearing: Ball Bearing
- Cable Length (mm): 500 (PWM & RGB)
- Fan Connector: 4-Pin PWM Header
- Dimensions (mm): 120 (l) x 120 (w) x 25 (h)
- Fan Speed (RPM): 500 – 1600
- Warranty (years): 3

Key Product Features

- Icy Frame Assembly & All-White Color
- 24 ARGB LEDs
- Dual Ring Lighting
- Addressable RGB Controls
- Airflow Optimized Impeller
- Noiseless Motor Drive IC
- Ultra-Durable Double Ball Bearing



Zodiac

Product SKU: FN-ZODIAC-01

Product Specs

- Air Flow (CFM): max. 65.5
- Bearing: Hydro Dynamic
- Fan Current (A): max. 0.18
- Dimensions (mm): 120 x 120 x 25
- Fan Connector: 4 Pin PWM
- Fan Speed (RPM): 700-1600
- Warranty (years): 3

Key Product Features

- 12 Full Color RGB LEDs
- Programmable Digital-RGB Control
- Extreme Static Pressure
- Precisely balanced Fan Blades
- Noiseless Motor Drive IC
- Hydro Dynamic Bearing

Thermal Solutions – Case Fan – Gamer Case Fan

					
Name	Lyra	Stella Frost	Zodiac	Stella Infinity	Stella ARGB
SKU	FN-LYRA-01	FN-STELLA-02	FN-ZODIAC-01	FN-STELLA-03	FN-STELLA-02
Price (MSRP)	\$15 USD	\$14 USD	\$10 USD	\$12 USD	\$14USD
Air Flow (CFM)	70max	70max	65.5max	70max	70max
Bearing	Double Ball Bearing	Double Ball Bearing	Hydro Dynamic Bearing	Hydro Dynamic Bearing	Double Ball Bearing
Fan Speed (RPM)	750 – 1600	500 – 1600	700 – 1600	500– 1600	500– 1600
Fan Connector	4-Pin PWM Header	4-Pin PWM Header	4-Pin PWM Header	4-Pin PWM Header	4-Pin PWM Header
Noise Level (dBA)	35max	35max	35max	35max	35max
Dimensions (mm)	120 x 120 x 25	120 x 120 x 25	120 x 120 x 25	120 x 120 x 25	120 x 120 x 25
Weight (g)	190	156	136	144	156

Thermal Solutions – Case Fan – Silent Case Fan

Silent 12 Pwm Black


Product SKU: FN-PX12-16

Product Specs

- Air Flow (CFM) 64.5
- Bearing: Hydro Dynamic Bearing
- Cable Length (mm): 500
- Current (A): 0.16
- Dimension of Fan (mm): 120 x 120 x 25
- Fan Speed (RPM): 750 - 1600
- Warranty (years): 3

Key Product Features

- Pulse Width Modulation (PWM)
- Optimized Fan Blades
- High Airflow & High Static Pressure
- Rubber Pads
- Silent Operation
- Noiseless Motor Drive
- Long Lifetime (50'000 h MTTF at 40°C)



Silent 12 Black

Product SKU: FN-PX12-11

Product Specs

- Air Flow (CFM / CMH): 40.3
- Bearing: Hydro Dynamic Bearing
- Fan Speed (RPM): 1000
- Dimension of Fan (mm): 120 x 120 x 25
- Current (A): 0.1
- Connector: 3 Pin
- Warranty (years): 3



Key Product Features

- Silent Operation
- Optimized Fan Blades
- High Airflow & High Static Pressure
- Noiseless Motor Drive
- Rubber Pads
- Long Lifetime (50'000 h MTTF at 40°C)

Thermal Solutions – Case Fan – Silent Case Fan

Silent 8 Black

Product SKU: FN-PX08-16

Product Specs

- Air Flow (CFM): max. 21
- Bearing: Hydro Dynamic
- Fan Connector: 3 Pin
- Fan Current (A): max. 0.08
- Dimensions (mm): 80 x 80 x 25
- Fan Speed (RPM): 1600
- Warranty (years): 3

Key Product Features

- Silent Operation
- Optimized Fan Blades
- High Airflow & High Static Pressure
- Rubber Fan Mounts

3



Silent 14 Black

Product SKU: FN-PX14-11

Product Specs

- Air Flow (CFM): 67.4
- Bearing: Hydro Dynamic
- Dimensions (mm): 140 x 140 x 25
- Fan Connector: 3 Pin
- Fan Current (A): max 0.09
- Fan Speed (RPM): 1000
- Warranty (years): 3

Key Product Features

- Silent Operation
- Optimized Fan Blades
- High Airflow & High Static Pressure
- Rubber Fan Mounts
- Long Lifetime (50'000 h MTTF at 40°C)

4

Thermal Solutions – Case Fan – Silent Case Fan

Silent 14 Pwm Black

Product SKU: FN-PX14-16

Product Specs

- Air Flow (CFM): max. 78.5
- Bearing: Hydro Dynamic
- Fan Speed (RPM): 750 – 1500
- Fan Connector: 4 Pin PWM
- Fan Current (A): max. 0.16
- Dimensions (mm): 140 x 140 x 25
- Warranty (years): 3

Key Product Features

- Pulse Width Modulation (PWM)
- Silent Operation w/ Rubber Fan Mounts
- Optimized Fan Blades
- High Airflow & High Static Pressure
- Long Lifetime (50'000 h MTTF at 40°C)



Silent 6

Product SKU: FN-SX06-32

Key Product Features

- Silent Operation
- Optimized Fan Blades
- High Airflow & High Static Pressure
- Long Lifetime (50'000 h MTTF at 40°C)

Thermal Solutions – Case Fan – Silent Case Fan

Silent 4

Product SKU: FN-SX04-42

Product Specs

- Air Flow (CFM / CMH): 4.5 / 7.65
- Bearing: Hydro Dynamic Bearing
- Cable Length (mm): 450
- Current (A): 0.10
- Dimension of Fan (mm): 40 x 40 x 10
- Fan Speed (RPM): 4200
- Warranty (years): 5

Key Product Features

- Silent Operation
- Optimized Fan Blades
- High Airflow & High Static Pressure
- Long Lifetime (50'000 h MTTF at 40°C)



Silent 5

Product SKU: FN-SX05-40

Product Specs

- Air Flow (CFM / CMH): 12.9 / 21.94
- Bearing: Hydro Dynamic Bearing
- Fan Speed (RPM): 4000
- Dimension of Fan (mm): 50 x 50 x 15
- Current (A): 0.15
- Cable Length (mm): 450
- Warranty (years): 5

Key Product Features

- Silent Operation
- Optimized Fan Blades
- High Airflow & High Static Pressure
- Long Lifetime (50'000 h MTTF at 40°C)

Thermal Solutions – Case Fan – Silent Case Fan

Silent 7

Product SKU: FN-SX07-22

Product Specs

- Air Flow (CFM / CMH): 19.8 / 33.66
- Bearing: Hydro Dynamic Bearing
- Cable Length (mm): 450
- Current (A): 0.15
- Dimension of Fan (mm): 70 x 70 x 15
- Fan Speed (RPM): 2200
- Warranty (years): 5

Key Product Features

- Silent Operation
- Optimized Fan Blades
- High Airflow & High Static Pressure
- Long Lifetime (50'000 h MTTF at 40°C)



Silent Pro 14 Pwm

Product SKU: FN-PX14P-15

Product Specs

- Air Flow (CFM / CMH): 80.6/137.02
- Bearing: Hydro Dynamic Bearing
- Fan Speed (RPM): 450 – 1500
- Dimension of Fan (mm): 140 x 140 x 25
- Current (A): 0.2
- Cable Length (mm): 500
- Warranty (years): 5

Key Product Features

- Pulse Width Modulation (PWM)
- Silent Operation w/ Rubber Fan Mounts
- Optimized Fan Blades
- High Airflow & High Static Pressure
- Long Lifetime (50'000 h MTTF at 40°C)

Thermal Solutions – Case Fan – Silent Case Fan

Silent 8 Pwm Black

Product SKU: FN-PX08-21

Product Specs

- Air Flow (CFM): max. 27
- Bearing: Hydro Dynamic
- Dimensions (mm): 80 x 80 x 25
- Fan Current (A): max. 0.18
- Fan Connector: 4 Pin PWM
- Fan Speed (RPM): 900-2000
- Warranty (years): 3

Key Product Features

- Pulse Width Modulation (PWM)
- Silent Operation with Rubber Fan Mounts
- Optimized Fan Blades
- High Airflow & High Static Pressure
- Long Lifetime (50'000 h MTTF at 40°C)



Silent 8 TC

Product SKU: FN-TX08-20

Product Specs

- Air Flow (CFM / CMH): 27
- Bearing: Hydro Dynamic Bearing
- Fan Speed (RPM): 900 (22C) – 2000 (42C)
- Connector: 3 Pin Molex
- Current (A): 0.13
- Dimension of Fan (mm): 80 x 80 x 25
- Warranty (years): 5

Key Product Features

- Temperature Control & external Sensor
- Silent Operation with Rubber Fan Mounts
- Optimized Fan Blades
- High Airflow & High Static Pressure
- Long Lifetime (50'000 h MTTF at 40°C)

Thermal Solutions – Case Fan – Silent Case Fan

Silent 9 Black


Product SKU: FN-PX09-16

Product Specs

- Air Flow (CFM): 31.32
- Bearing: Hydro Dynamic
- Fan Connector: 3 Pin
- Fan Current (A): max. 0.10
- Dimensions (mm): 92 x 92 x 25
- Fan Speed (RPM): 1500
- Warranty (years): 3

Key Product Features

- Silent Operation
- Optimized Fan Blades
- High Airflow & High Static Pressure
- Rubber Fan Mounts
- Long Lifetime (50'000 h MTTF at 40°C)



Thermal Solutions – Case Fan – Mining Fan

Gale

Product SKU: FN-GALE-01

Product Specs

- Air Flow (CFM>/CMH): max. 10
- Bearing: Double Ball
- Fan Current (A): max. 0.55
- Fan Connector: 4-Pin PWM
- Fan Speed (RPM): 500 - 3500
- Dimensions (mm): 120 x 120 x 38
- Warranty (years): 3

Key Product Features

- Silent Operation
- Optimized Fan Blades
- 120mm Extreme Performance Fan
- High Airflow & High Static Pressure



Gale Extreme

Product SKU: HS-M2-SSD-21

Product Specs

- Air Flow (CFM>/CMH): max. 195
- Bearing: Double Ball
- Dimensions (mm): 120 x 120 x 38
- Fan Current (A): max. 2.8
- Fan Connector: 4-Pin PWM
- Fan Speed (RPM): 500 - 6000
- Warranty (years): 3

Key Product Features

- Silent Operation
- Optimized Fan Blades
- 120mm Extreme Performance Fan
- High Airflow & High Static Pressure

Thermal Solutions – Thermal Compound

Gc-extreme Thermal Paste

Product SKU: TC-GC-03-D

Product Specs

- Density (g/cm³): 3.73
- Thermal conductivity (W/mK): 8.5
- Viscosity (Centipoise): 85000

Key Product Features

- Ultimate Heat Conductivity
- Non-Electrical Conductive Compound
- Non-Corrosive, Non-Curing & Non-Toxic
- No Bleeding & User Friendly
- GELID Applicator
- Operating temperature range -45 to +180 degree Celsius



Thermal Solutions – Thermal Pad

Gp-extreme 120×120 Thermal Pad



Product SKU: TP-GP01-S-A

Product Specs

- Density (g/cm³): 2.8
- Hardness (Shore): 35 00
- Size (mm): 120 x 120

Key Product Features

- Ultimate Heat Conductivity
- Enlarged Size
- Non-Electrical Conductive
- Non-Corrosive, Non-Curing & Non-Toxic
- GC-Extreme Thermal Compound
- Size- 0.5mm - 30mm



Gp-extreme 120×20 Thermal Pad

Product SKU: TP-GP05-A

Product Specs

- Density (g/cm³): 2.8
- Hardness (Shore): 35 00
- Size (mm): 120 x 20

Key Product Features

- Ultimate Heat Conductivity
- Non-Electrical Conductive
- Non-Corrosive, Non-Curing & Non-Toxic
- Size- 0.5mm - Value Pack 3.0mm

Thermal Solutions – Thermal Pad

Gp-extreme 80 X 40 Thermal Pad

Product SKU: N/A


Product Specs

- Density (g/cm³): 2.8
- Hardness (Shore): 35 00
- Size (mm): 80 x 40

Key Product Features

- Ultimate Heat Conductivity
- Non-Electrical Conductive
- Non-Corrosive, Non-Curing & Non-Toxic
- Size- 0.5mm - Value Pack 3.0mm

3



Gp-ultimate 120×120 Thermal Pad

Product SKU: TP-GP04-S-A

Product Specs

- Density (g/cm³): 3.2
- Hardness (Shore): 60-70 00
- Size (mm): 120 x 120

Key Product Features

- Ultimate Heat Conductivity
- Non-Electrical Conductive
- Non-Corrosive, Non-Curing & Non-Toxic
- Perfect for RAM Memory, VRM & M.2 Type SSD
- Size- 0.5mm - 3.0mm

4

Thermal Solutions – Thermal Pad

Gp-ultimate 120×20 Thermal Pad

Product SKU: TP-GP04-R-A

Product Specs

- Density (g/cm³): 3.2
- Hardness (Shore): 60-70 OO
- Size (mm): 80 x 40

Key Product Features

- Ultimate Heat Conductivity
- Non-Electrical Conductive
- Non-Corrosive, Non-Curing & Non-Toxic
- Perfect for RAM Memory, VRM & M.2 Type SSD
- Size- 0.5mm - Value Pack 3.0mm



Gp-ultimate 90 X 50 Thermal Pad

Product SKU: TP-GP04-A

Product Specs

- Density (g/cm³): 3.2
- Hardness (Shore): 60-70 OO
- Size (mm): 120 x 120

Key Product Features

- Ultimate Heat Conductivity
- Non-Electrical Conductive
- Non-Corrosive, Non-Curing & Non-Toxic
- Easy Application
- Size- 0.5mm - Value Pack 3.0mm

Thermal Solutions – Nova Rgb Gaming Mousepad

Nova Rgb Gaming Mousepad

Product SKU: MP-RGB-01

Product Specs

Nova S

- Color: Black
- Connector: USB 2.0 Type A
- Material: Polypropylene, Rubber
- Dimensions (mm): 350 x 250
- Thickness (mm): 3
- Weight (g): 190
- Warranty (years): 2
- Included: USB Cable 1.8m

Nova XL

- Color: Black
- Connector: USB 2.0 Type A
- Material: Polypropylene, Rubber
- Dimensions (mm): 800 x 300
- Thickness (mm): 4
- Weight (g): 530
- Warranty (years): 2
- Included: USB Cable 1.8m

Nova XXL

- Color: Black
- Connector: USB 2.0 Type A
- Material: Polypropylene, Rubber
- Dimensions (mm): 900 x 400
- Thickness (mm): 4
- Weight (g): 990
- Warranty (years): 2
- Included: USB Cable 1.8m

Key Product Features

- 14 vivid RGB lightning
- Compatible with all PC systems
- Easy connection via USB
- Size: Xxl - XL



Thermal Solutions – Cable

24 Pin (Eps) Single Sleeved Black Cable

Product SKU: CA-24P-01

Product Specs

- AWG Wire Size: 18
- Cable Length (mm): 300
- Color of Sleeve: Black

Key Product Features

- Single Sleeved
- 18 AWG
- 30 cm long



24 Pin (Eps) Single Sleeved Red Cable

Product SKU: CA-24P-04

Product Specs

- AWG Wire Size: 18
- Cable Length (mm): 300
- Color of Sleeve: Red

Key Product Features

- Single Sleeved
- UV-reactive
- 18 AWG
- 30 cm long

Thermal Solutions – Cable

24 Pin Atx Cable Holder Black

Product SKU: PL-ATXCM-24P-02

Product Specs

- Number of Wire Slots: 24
- Color: Black

Key Product Features

- Easy cable wire fixture
- Fits all ATX cables with sleeving
- Black color

3



6 Pin (Pci-e) Single Sleeved Black Cable

Product SKU: CA-6P-01

Product Specs

- AWG Wire Size: 18
- Cable Length (mm): 300
- Color of Sleeve: Black

Key Product Features

- Single Sleeve
- 18 AWG
- 30 cm long

4

Thermal Solutions - Cable

6 Pin (Pci-e) Single Sleeved Blue Cable

Product SKU: CA-6P-03

Product Specs

- AWG Wire Size: 18
- Cable Length (mm): 300
- Color of Sleeve: Blue

Key Product Features

- Single Sleeve
- UV-reactive Sleeve
- 18 AWG
- 30 cm long



5



6 Pin (Pci-e) Single Sleeved Red Cable

Product SKU: CA-6P-04

Product Specs

- AWG Wire Size: 18
- Cable Length (mm): 300
- Color of Sleeve: Red

Key Product Features

- Single Sleeve
- UV-reactive Sleeve
- 18 AWG
- 30 cm long

6

Thermal Solutions - Cable

6 Pin (Pci-e) Single Sleeved Blue Cable

Product SKU: CA-8P-03

Product Specs

- AWG Wire Size: 18
- Cable Length (mm): 300
- Color of Sleeve: Blue

Key Product Features

- Single Sleeved
- UV-reactive Sleeved
- 18 AWG
- 30 cm long

7



6 Pin (Pci-e) Single Sleeved White Cable

Product SKU: CA-6P-02

Product Specs

- AWG Wire Size: 18
- Cable Length (mm): 300
- Color of Sleeve: White

Key Product Features

- Single Sleeved
- UV-reactive Sleeved
- 18 AWG
- 30 cm long

8

Thermal Solutions – Cable

6+2 Pin (Pci-e) Single Sleeved Blue Cable

Product SKU: N/A

Product Specs

- AWG Wire Size: 18
- Cable Length (mm): 300
- Color of Sleeve: Blue

Key Product Features

- 6+2 Pin PCI-e
- Single Sleeved
- 18 AWG
- 30 cm long



8 Pin (Eps) Single Sleeved Black Cable

Product SKU: CA-8P-01

Product Specs

- AWG Wire Size: 18
- Cable Length (mm): 300
- Color of Sleeve: Black

Key Product Features

- Single Sleeved
- 18 AWG
- 30 cm long

Thermal Solutions - Cable

6+2 Pin (Pci-e) Single Sleeved Black Cable

Product SKU: CA-8P-05

Key Product Features

- 6+2 Pin PCI-e
- Single Sleeved
- 18 AWG
- 30 cm long

11



8 Pin (Eps) Single Sleeved Red Cable

Product SKU: CA-8P-04

Product Specs

- AWG Wire Size: 18
- Cable Length (mm): 300
- Color of Sleeve: Red

Key Product Features

- Single Sleeved
- UV-reactive Sleeved
- 18 AWG
- 30 cm long

12

Thermal Solutions – Cable

8 Pin (Eps) Single Sleeved White Cable

Product SKU: CA-8P-02

Product Specs

- AWG Wire Size: 18
- Cable Length (mm): 300
- Color of Sleeve: White

Key Product Features

- Single Sleeved
- UV-reactive Sleeved
- 18 AWG
- 30 cm long



8 Pin Atx Cable Holder Black

Product SKU: PL-ATXCM-8P-02

Product Specs

- Number of Wire Slots: 8
- Color: Black

Key Product Features

- Easy cable wire fixture
- Fits all ATX cables with sleeving
- Black color

Thermal Solutions – Cable

Astra Argb Extension Cable

Product SKU: N/A

Product Specs

8-Pin ATX Cable:

- AWG Wire Size: 18
- Cable Connector: 8-Pin CPU Power
- Cable Length (mm): 300
- RGB Connector: 3-Pin 5V Addressable RGB Header
- RGB Current (A): 1.5
- RGB Voltage (V): 5
- Size (mm): 300 x 20 x 25
- Weight (g): 140
- Warranty (years): 1

6+2-Pin GPU Cable:

- AWG Wire Size: 18
- Cable Connector: 6+2 PCI-E Power
- Cable Length (mm): 300
- RGB Connector: 3-Pin 5V Addressable RGB Header
- RGB Current (A): 1.5
- RGB Voltage (V): 5
- Size (mm): 300 x 20 x 25
- Weight (g): 170
- Warranty (years): 1

24-Pin ATX Cable:

- AWG Wire Size: 18
- Cable Connector: 24-Pin ATX Motherboard Power
- Cable Length (mm): 200
- RGB Connector: 3-Pin 5V Addressable RGB Header
- RGB Current (A): 1.5
- RGB Voltage (V): 5
- Size (mm): 200 x 20 x 25
- Weight (g): 190
- Warranty (years): 1

Key Product Features

- Braided Fiber-Optic Cover
- Dual-Side RGB Lighting
- ARGB Sync
- 24/16 Ultra-Bright LEDs
- 18 AWG Single Sleeved Cabling
- 30cm/20cm Long
- Size: 24-pin - 8-pin



Thermal Solutions – RGB Collection

Amber 8 Pro

Product SKU: RF-RGB-02

Product Specs

Controller Unit

- ARGB Outputs: 10 x 3-pin ARGB Header
- ARGB Voltage (V): 5
- Power Supply: SATA Connector
- Controllable PWM Ports: 5
- Dimensions (mm): 130 x 76 x 17
- PWM Fan Outputs: 8 x 4-pin PWM Fan Header
- Warranty (years): 2

RF Remote

- Number of Keys: 21
- Dimensions (mm): 86 x 40 x 7
- Number of RGB Modes: 366
- RC Method: Radio Frequency (RF 433M)
- RC Range (m): 8
- RGB Switching Speed Levels: 8
- Weight (g): 15



Key Product Features

- 24 ARGB LEDs
- Dual Ring Lighting
- Ultra-Durable Double Ball Bearing
- Noiseless Motor Drive IC
- Airflow Optimized Impeller
- 5 x Stella Fan and Amber5 ARGB Controller Included

Included: 1 x Controller Unit, 1x RF Remote, 1 x Power SATA Cable, 1 x PWM Control Cable, 1 x ARGB Sync Cable, 1 x Sticky Pad * CR2025 Battery required, needs to be purchased separately

Thermal Solutions – RGB Collection

Amber 8 Pro Bundle

Product SKU: RF-RGB-MP-02

Product Specs

Controller Unit

- ARGB Outputs: 10 x 3-pin ARGB Header
- ARGB Voltage (V): 5
- Power Supply: SATA Connector
- Controllable PWM Ports: 5
- Dimensions (mm): 130 x 76 x 17
- PWM Fan Outputs: 8 x 4-pin PWM Fan Header
- Warranty (years): 2

RF Remote

- Number of Keys: 21
- Dimensions (mm): 86 x 40 x 7
- Number of RGB Modes: 366
- RC Method: Radio Frequency (RF 433M)
- RC Range (m): 8
- RGB Switching Speed Levels: 8
- Weight (g): 15

Stella Infinity

- Air Flow (CFM): max. 70
- Bearing: Hydro Dynamic
- Dimensions (mm): 120 x 120 x 25
- Fan Connector: 4 Pin PWM
- Fan Speed (RPM): 500 - 1600
- Fan Current (A): max. 0.19
- Warranty (years): 3

Key Product Features

- 24 ARGB LEDs
- Dual Ring Lighting
- Hydro Dynamic Bearing
- Noiseless Motor Drive IC
- Airflow Optimized Impeller



Included: 1 x Controller Unit, 1x RF Remote, 1 x Power SATA Cable, 1 x PWM Control Cable, 1 x ARGB Sync Cable, 1 x Sticky Pad * CR2025 Battery required, needs to be purchased separately

Thermal Solutions – RGB Collection

Amber5 Argb Controller

Product SKU: RF-RGB-01

Product Specs

Controller Unit

- ARGB Outputs: 5 x 3-pin ARGB Header
- ARGB Voltage (V): 5
- Power Supply: SATA Connector
- Power Draw (W): 85 max
- Dimensions (mm): 90.7 x 49.7 x 12.5
- PWM Fan Outputs: 5 x 4-pin PWM Fan Header
- Warranty (years): 2

RF Remote

- Number of Keys: 21
- Dimensions (mm): 86 x 40 x 7
- Number of RGB Modes: 366
- RC Method: Radio Frequency (RF 433M)
- RC Range (m): 8
- RGB Effects Speed Levels: 8
- Weight (g): 15

Key Product Features

- 5 Addressable RGB Channels
- 5 PWM Channels (Shared PWM Control)
- 366 Pre-Programmed RGB Modes
- Manual/Auto RGB Controls
- 21-key RF Remote Control Unit
- ARGB Sync Compatible
- Built-in Magnet Holder

Included: 1 x Power SATA Cable, 1 x PWM Control Cable, 1 x ARGB Sync Cable, 1 x Sticky Pad
***1 x CR2025 Battery required, needs to be purchased separately**



Thermal Solutions – RGB Collection

Amber5 Argb Combo Bundle

Product SKU: RF-RGB-MP-01

Product Specs

Stella ARGB Fan

- Air Flow (CFM): 70 max.
- Bearing: Double Ball Bearing
- Cable Length (mm): 500 (PWM & RGB)
- Fan Connector: 4-Pin PWM Header
- Dimensions (mm): 120 (l) x 120 (w) x 25 (h)
- Fan Speed (RPM): 500 – 1600
- Warranty (years): 3

Amber 5 – Controller Unit

- ARGB Outputs: 5 x 3-pin ARGB Header
- Dimensions (mm): 90.7 x 49.7 x 12.5
- PWM Fan Outputs: 5 x 4-pin PWM Fan Header
- ARGB Voltage (V): 5
- PWM Fan Voltage (V): 12
- Power Draw (W): 85 max
- Warranty (years): 2

Amber 5 – RF Remote

- Dimensions (mm): 86 x 40 x 7
- Number of Keys: 21
- Number of RGB Modes: 366
- RC Method: Radio Frequency (RF 433MHz)
- RC Range (m): 8
- RGB Effects Speed Levels: 8
- Static Brightness Levels: 8

Key Product Features

- 24 ARGB LEDs
- Dual Ring Lighting
- Ultra-Durable Double Ball Bearing
- Noiseless Motor Drive IC
- Airflow Optimized Impeller
- 5 x Stella Fan and Amber5 ARGB Controller Included

Included: 5 x Stella ARGB Fan, 1 x Controller Unit, 1 x RF Remote, 1 x Power SATA Cable, 1 x PWM Control Cable, 1 x ARGB Sync Cable, 1 x Sticky Pad



Thermal Solutions – RGB Collection

Lumen Rgb Ram Cooler

Product SKU: N/A

Product Specs

- Dimensions (mm): 139 x 8.1 x 45
- Heatsink Material: Aluminum
- Heatsink Color: Red, Black
- RGB Module: Fully Automatic
- Power Connector: 3-pin Fan
- Voltage (V): 12
- Compatibility: All standard & low-profile
DDR2/DDR3/DDR4

Key Product Features

- Fully Automatic RGB Mode
- Double-Side Vest Heatsink
- Lightweight Design & High Performance
- Easy Setup
- 2 x Vest Heatsink & Accessory Kit Included
- Supports All Standard & Low-Profile DDR2/DDR3/DDR4 RAM



Flexlight Rgb Strip

Product SKU: LED-S-02

Product Specs

- Color Range: 24bit RGB
- DC Voltage (V): 12
- Number of LEDs: 150
- Rated Power (W): 20
- Strip Length (m): 5
- Strip Width (mm): 10
- Working Temperature (°C): -20 – 60

Key Product Features

- 150 Bright SMD 5050 LEDs
- 24bit RGB Colors
- Ultra-Flexible and Ultra-Durable Strip
- Double-Sided Adhesive
- RGB Programs & IR Remote

Thermal Solutions – RGB Collection

Rgb 1-to-4 Spiltter

Product SKU: CA-RGB-01

Product Specs

- Color: Black
- Input: 1 x 4-pin Female RGB Connector
- Cable Length (mm): 300
- Output: 4 x 4-pin Female RGB Connector
- Included: 5 x Male Plug Adapter

Key Product Features

- 4 x RGB Outputs
- 12V 4-Pin RGB & 5V 3-Pin ARGB Header Support
- Ultra-Durable Cable
- 5 x Male Plug Adapters Included



Stabilo Vga Card Support

Product SKU: ST-RGB-01

Product Specs

- Material: ABS Steel, Plastic
- Bearing: Hydro Dynamic
- Color: Black, White
- Power Input: SATA
- ARGB Connector: 3-Pin Addressable RGB Header (5V)
- Dimensions (mm): 60 (l) x 95 (w) x 235 (h)
- Warranty (years): 2

Key Product Features

- Dual GPU Support
- Compatible with All GPU Types
- 2 Self-Locked Adjustable Brackets
- ABS Steel Pole
- ARGB Sync
- Magnetic Bottom & Sticky Adhesive

Thermal Solutions – Accessories

3 Pin Fan Resistor Cable


Product SKU: CA-RES-01

Product Specs

- Cable Length (mm): 110
- Color: Black
- Net Weight (g): 3
- Electrical Resistance (Ω): 43
- Includes: 1 x Resistor Cable

Key Product Features

- 3-Pin Fan Connector
- Premium Single Sleeve Cable
- 11cm Cable Length
- Compatible with all 3-Pin 12V Fans



Cpu Protection Bracket

Product SKU: PT-AM4-01

Product Specs

- Compatibility: Sirocco, Phantom, Phantom Black
- Color: Black
- Dimensions (mm): 97 x 62 x 5
- Material: Stainless Steel
- Thickness (mm): 0.5
- Weight (g): 13



Key Product Features

- CPU Pull-Out Prevention
- Socket Integrity Protection
- Ultra-Thin Design
- Compatible with GELID AM4 Mounting Kit

Thermal Solutions – Accessories

Iceberry

Product SKU: CN-RASPI-01

Product Specs

- Case Color: Silver
- Case Dimensions (mm): 91 x 62 x 33.5
- Fan Bearing: Double Ball Bearing
- Fan Speed (RPM): 4000 ± 10%
- Fan Size (mm): 50 x 10
- Fan Current (A): 0.12
- Warranty (years): 2

Key Product Features

- Ultimate Cooling Performance
- Slim Aluminum Case
- Integrated Heatsink-Fan Module
- Low Noise Operation
- Seamless Installation
- Overclocking Support



3



Mesh 140 Dust Filter Kit

Product SKU: SL-DUST-02

Product Specs

- Color: Black
- Dimensions (mm): 140 x 140 x 0.35
- Filter Density (ppi): 17
- Material: PVC
- Warranty (years): 2
- Includes: 3x Mesh 140

Key Product Features

- Ultra Fine PVC Mesh 17 Pores per Inch
- Excellent Airflow Pass
- Lightweight & Easy to Install
- Washable & Reusable
- Fits All 140mm Fans & Vents
- RoHS Compliant

4

Thermal Solutions – Accessories

Magnet Mesh Dust Filter 120


Product SKU: SL-DUST-03

Product Specs

- Color: Black
- Dimensions (mm): 123 x 123 x 1.5
- Filter Density (ppi): 17
- Material: PVC with Magnet
- Warranty (years): 2
- Includes: 3x Magnet Mesh 120

Key Product Features

- Removable Magnetic Frame
- Fine PVC Mesh 17 Pores per Inch
- Excellent Airflow Pass
- Fast & Easy Application
- Durable, Washable & Reusable
- Fits All 120mm Fans & Vents



Manual Speed Controller Retail

Product SKU: FC-MC01-B

Product Specs

- Dimensions (mm): 62 (w) x 25 (h) x 19 (l)
- Input Voltage (V): 12
- Optimal Wattage (W): 12
- Output Current (mA): max. 700
- Output Voltage (V): 5-12

Key Product Features

- Adjust the RPM speed of your case fan

Thermal Solutions – Accessories

Magnet Mesh Dust Filter 140


Product SKU: SL-DUST-04

Product Specs

- Color: Black
- Dimensions (mm): 140 x 140 x 1.95
- Filter Density (ppi): 17
- Material: PVC with Magnet
- Warranty (years): 2
- Includes: 3 x Magnet Mesh 140

Key Product Features

- Removable Magnetic Frame
- Fine PVC Mesh 17 Pores per Inch
- Excellent Airflow Pass
- Fast & Easy Application
- Durable, Washable & Reusable
- Fits All 140mm Fans & Vents



Mesh 120 Dust Filter Kit

Product SKU: SL-DUST-01

Product Specs

- Color: Black
- Dimensions (mm): 120 x 120 x 0.45
- Filter Density (ppi): 27
- Material: PVC
- Warranty (years): 2
- Includes: 3x Mesh 120

Key Product Features

- Ultra Fine PVC Mesh 27 Pores per Inch
- Excellent Airflow Pass
- Lightweight & Easy to Install
- Washable & Reusable
- Fits All 120mm Fans & Vents
- RoHS Compliant

Thermal Solutions – Accessories

Pci Slot Filter


Product SKU: SL-PCI-01-A

Product Specs

- Color: Black
- Air Slot (mm): 14 x 5
- Material: Manganese Steel
- Size (mm): 120.5 x 21.7 x 15.6
- Screw (pcs): 3 of 6-32 Screw Type

Key Product Features

- Removable Dust Filter
- High-quality Hard Steel
- Optimized Openings



Vga Pwm Fan Adaptor

Product SKU: CA-PWM-02

Product Specs

- Cable Length (mm): 70with Cable Sleeve
- Operating Temperature Range (C): -20C to +70C

Key Product Features

- Supports 4pin PWM fans to connect to the PWM fan header on GPU

Gaming PC Cases

Battle Station X [mt-bsx-01]

Product SKU: MT-BSX-01

Product Specs

- Body Color: Black
- Chassis Dimensions (mm): 370 (D) x 204 (W) x 435 (H)
- Internal Drive Bays: 3 x 3.5", 2 x 2.5"
- IO Ports: 1 x USB 3.0, 2 x USB 2.0, 1 x HDA, 1 x Mic
- Motherboard Support: ATX, Micro ATX, Mini ITX
- Number of Fans (max.): 6 (4 x 120mm ARGB Fan Included)
- Water Cooling: Water Cooling Optimized

Component Clearance

- CPU Cooler Maximum Height (mm): 165
- GPU Maximum Length (mm): 290
- PSU Maximum Length (mm): 210

Key Product Features

- Front & Top Water Cooling Radiator Support
- Extended GPU, PSU & CPU Cooler Clearance
- Seamless Cable Management
- Tempered Glass Panels
- Up to 6 x 120mm/140mm Fans
- USB 3.0 Ports



Key Product Features

- Front & Top Water Cooling Radiator Support
- Tempered Glass Panels
- Direct Vent Front Panel
- Extended GPU, PSU & CPU Cooler Clearance
- Seamless Cable Management
- Up to 6 x 120mm/140mm Fans
- USB 3.0 Ports

Black Diamond [mt-bd-01]

Product SKU: MT-BD-01

Product Specs

- Body Color: Black
- Chassis Dimensions (mm): 400 (D) x 210 (W) x 478 (H)
- Internal Drive Bays: 2 x 3.5", 2 x 2.5"
- IO Ports: 2 x USB 3.0, 1 x HD Audio, 1 x Mic
- Motherboard Support: ATX, Micro ATX, Mini ITX
- Number of Fans (max.): 6 (4 x 120mm ARGB Fan Included)
- Supported Radiator Size (max.): 360mm

Component Clearance

- CPU Cooler Maximum Height (mm): 165
- GPU Maximum Length (mm): 330
- PSU Maximum Length (mm): 210

Home Office

Apex Vertical Mouse


Product SKU: VM-01-A

Product Specs

- Battery: 2 AAA, not included
- Buttons: Left/Right, Scroll Wheel, DPI, Next/Prev
- Compatibility: Window 10/8/7/Vista/XP, macOS, Linux
- Dimensions (mm): 125x75x65
- Interface: Wireless 2.4G USB Receiver
- Warranty (years): 2
- Sensor: High Precision Optical Sensor
800/1200/1600 DPI

Key Product Features

- Ergonomic Shape
- Wireless 2.4G
- Natural handshake Position
- Plug-n-play



Voce Black Usb Condenser Microphone

Product SKU: ST-VOCE-02

Product Specs

- Color: Black
- Frequency Response (Hz): 20-20000
- Input Power: USB DC 5V
- Polar Pattern: Cardioid
- Resistance: 2.2k
- Warranty (years): 1
- Compatibility: USB 2.0 Plug&Play, Windows, macOS, Linux, Android, iOS

Key Product Features

- All-in-one Kit, No Extra Gear Required
- Super-fast & Seamless Setup
- Exceptional Sound Quality
- Cardioid Polar Pattern
- Perfect for One-person Recording & Streaming
- Durable & Sturdy Build

Home Office

Onair Mobile Streaming Kit

Product SKU: ST-ONA-01

Product Specs

Technical Specifications

- Color: Black
- Connector Type: Audio Jack 3.5mm
- Dimensions (mm): 133 x 61 x 2
- Frequency Response (Hz): 100-16000
- Impedance (Ω): ≤ 200
- Polar Pattern: Bi-directional
- Warranty (years): 1

LED Light

- Battery Capacity (mAh): 500
- Dimensions (mm): 73 x 42 x 11
- Light Output (lm): 350
- Number of LEDs: 50
- Operation Time (min): 40 at max. brightness
- Power Input: Micro-USB DC 5V
- Weight (g): 30

Tripod

- Color: Black, Red
- Dimensions (mm): 230 x 15 x 15 (collapsed), 195 x 180 x 180 (extended)
- Material: Steel, Plastic
- Warranty (years): 1
- Weight (g): 185

Key Product Features

- Full Set for Mobile Streaming/Videography
- Super Compact Tripod
- Universal Smartphone/Camera Mount
- Rechargeable LED Light with 3 Color Filters
- Bi-directional Shotgun Microphone
- Enhanced Mobility & Extended Operation Time

Included: 1 x Controller Unit, 1x RF Remote, 1 x Power SATA Cable, 1 x PWM Control Cable, 1 x ARGB Sync Cable, 1 x Sticky Pad * CR2025 Battery required, needs to be purchased separately



3

Home Office

Lux Tri-color Led Ring Light

Product SKU: ST-LUX-01

Product Specs

Technical Specifications

- Color Temperature (K): 2700 - 7000
- Light Ring Diameter (mm): 260
- No. of LEDs: 120
- Power Draw (W): 12.5
- Power Input: USB DC 5V
- Thickness (mm): 25
- Warranty (years): 1

Key Product Features

- 120 Ultra Bright LEDs
- 3 Color Temperatures (Warm, Daylight, Cool)
- 10 Brightness Levels
- Quick & Easy Setup
- Suction Cup, Tripod or Spring Clamp Mounts
- USB Controller Included



Flexmount Duo Dual Monitor Arm

Product SKU: ARM-01

Product Specs

- Color: Matt Black
- Lift Height: 63cm
- Material: Aerospace-grade aluminum, ABS steel
- Pole Height: 20cm
- Clamps: Edge 20-100mm, Grommet 20-60mm
- Arm Extension: 11-58cm
- Warranty (years): 2

Key Product Features

- Easy Setup & Broad Compatibility
- Gas Spring Hovering System
- Aerospace Grade Materials
- Built-in USB 3.0 Hub

Home Office

ZenTree 2.0

Product SKU: PC-CH02-A2

Product Desc

- Weight: 1.5 kg
- Dimensions: 31 × 20 × 10.5 cm

6



Zentree Marble

Product SKU: PC-CH02-C

Product Specs

- Dimensions (mm): 224 x 159 x 95
- Idle Power Consumption (W): 0.04
- Max Output Current (A): 3 per Port (QC 3.0 & USB-PD modes)
- Number of USB Ports: 4 (2x USB, 1x USB-C, 1x USB-PD)
- Power Output (W): 60 (total)
- Weight (g): 590

Key Product Features

- 3D Tree Array Docking Surface
- Silicone Skin Swappable Top Cover
- Smart QC 3.0 Multi-Device Charging System
- 60W Power Output
- Seamless Cable Management
- Free USB 4-in-1 Connector

Home Office

Zentree Wooden

Product SKU: PC-CH02-B

Product Specs

- Active Mode Efficiency: 87%
- Dimensions (mm): 224 x 159 x 95
- Idle Power Consumption (W): 0.04
- Max Output Current (A): 2.4 per Port
- Material: Plastic with Wooden Printing
- Number of USB Ports: 4
- Weight (g): 432

8



Fourza Charging Station

Product SKU: PC-CH01-A

Product Specs

- Active Mode Efficiency: 87%
- Idle Power Consumption (W): 0.06
- Max Output Current (A): 2.4 per Port
- Number of USB Ports: 4
- Weight (g): 430
- Dimensions (mm): 192 x 120 x 53